

STATE OF WISCONSIN

Department of Safety and Professional Services 1400 East Washington Avenue Madison WI 53703 Mail to: PO Box 8368 Madison WI 53708-8368

E-mail: dsps@wisconsin.gov Web: http://dsps.wi.gov Phone: 608-266-2112

Governor Scott Walker

Secretary Dave Ross

COMMERCIAL BUILDING CODE COUNCIL MEETING Room 121C, 1400 East Washington Avenue, Madison Contact: Sandra Cleveland (608) 266-0797

June 7, 2016

The following agenda describes the issues that the Council plans to consider at the meeting. At the time of the meeting, items may be removed from the agenda. Please consult the resulting meeting minutes for a description of the recommendations of the Council.

AGENDA

9:00 A.M.

CALL TO ORDER - ROLL CALL

- A. Adoption of Agenda
- B. Approval of Minutes of May 3, 2016
- C. Department Update
- D. 2015 International Energy Conservation Code and ASHRAE 90.1 Standards
 - 1) Follow-Up Council Review and Discussion
 - 2) SPS 363 Wisconsin Considerations
- E. Exhaust System Requirements in Boat Storage Facilities
 - 1) Follow-up Council Review and Discussion
 - 2) Wisconsin Considerations
- F. Council Review and Discussion of Chapter 17 of the International Building Code, Special Inspections and Tests
- G. Review of SPS 361 and 362 Draft Rule Language
- H. Public Comments
- I. Adjournment

MEETINGS AND HEARINGS ARE OPEN TO THE PUBLIC, AND MAY BE CANCELLED WITHOUT NOTICE.

Times listed for meeting items are approximate and depend on the length of discussion and voting. All meetings are held at 1400 East Washington Avenue, Madison, Wisconsin, unless otherwise noted. In order to confirm a meeting or to request a complete copy of the board's agenda, please call the listed contact person. The board may also consider materials or items filed after the transmission of this notice. Times listed for the commencement of disciplinary hearings may be changed by the examiner for the convenience of the parties.

Interpreters for the hearing impaired provided upon request by contacting the Affirmative Action Officer, 608 266-2112.